
V-47 (2011)



APPLICANT: Bright Minds Learning and Childcare	PETITION NO.:	V-47
PHONE: Center 770-948-5535	DATE OF HEARING:	06-08-11
REPRESENTATIVE: Beverly Edwards	PRESENT ZONING:	CRC
PHONE: 770-948-5535	LAND LOT(S):	42
PROPERTY LOCATION: On the north side of	DISTRICT:	18
Veterans Memorial Highway at Harding Drive	SIZE OF TRACT:	1.5 acres
(200 Veterans Memorial Highway).	COMMISSION DISTRICT:_	4

TYPE OF VARIANCE: Allow a freestanding sign to be 40 feet from the centerline of the road in lieu of the required 62 feet from the centerline of the road and allow said sign within one foot of the right-of-way.

COMMENTS

TRAFFIC: GDOT permits will be required for all work encroaching upon state right-of-way. Recommend applicant verify that sign does not obstruct visibility per Cobb County Development Standard Detail 109.

DEVELOPMENT & INSPECTIONS: There is a tree planted in the area where the sign is proposed to be located that is required by the Cobb County Tree Ordinance. If this tree is impacted, it will have to be replaced in kind by size and type elsewhere on the site as directed by the County Landscape Architect.

STORMWATER MANAGEMENT: No comments.

HISTORIC PRESERVATION: After examining Civil War trench maps, Cobb County historic property surveys, county maps, and various other resources, staff has no comments regarding the impact or treatment of historic and/or archaeological resources.

CEMETERY PRESERVATION: No comment.

WATER: No conflict.

SEWER: No conflict.

BOARD OF APPEALS DECISION
APPROVED _____MOTION BY_____

OPPOSITION: NO. OPPOSED PETITION NO. SPOKESMAN

REJECTED____SECONDED______
HELD___CARRIED______
STIPULATIONS:_____



THIS

PAGE

INTENTIONALLY

LEFT

BLANK

Cobb County Fire and Emergency Services


Fire Marshal Comments

Applicant Name: Bright Minds Learning Childcare

Petition Number: V-47

Date: 5/24/2011

NO COMMENTS: After analyzing the information presented for a Preliminary Review, the Cobb County Fire Marshal's Office is confident that all other items can be addressed during the Plan Review Stage.



Revised: December 6, 2005

Application for Variance Cobb County

Application No.	V	- 4	7	
Hearing Date:	6-	8-	Π	

UCLOSE MM. DEV. AGENCY CHISTON	(type or print clearly)	Application No. Hearing Date:	- 4 <i>1</i>
Applicant Bright Minds lean	wins Phone # 770-948-		
DENERIU Edwards	Address 200 VEŁ	ERANS NIEMORIEZ HI	سر جيث
(representative's name, printed)		(street, city, state and zip code) Ma	Oleton, GA 30120
Cluster & discubo (representative) signature)	Phone # 404-580-	1292 E-mail Same 25	ABOONS.
My commission expires: Mach 23		Signed, scaled and delivered in present	Al O Substitution of the s
Titleholder BE-ATTITUDES ENTER	<u>e-</u> Phone # <u>404-580-1</u>	292 E-mail Colwards ba	Mac COBB Minds
Signature Cattach additional signatures, if		VETERANS Memorial (street, city, state and zip code)	lighway Mabled
My commission expires: March 33	,2015	Signed, sealed and delivered in gresons	
Present Zoning of Property			A PLIC
Location 200 VEZERANS MER	morcial Hung Swi Mak	oleton 6A 30126	COUNTY
Land Lot(s) 42			Acre(s)
Please select the extraordinary and condition(s) must be peculiar to the pic		the piece of property in	question. The
Size of Property Shape of	of PropertyTopogr	raphy of Property	Other
The Cobb County Zoning Ordinance S determine that applying the terms of thardship. Please state what hardship w	the Zoning Ordinance witho	ut the variance would create	an unnecessary
(SEE ATTACHED) Exhibit A			
List type of variance requested: \$'\d	zn Placement loc	-tion closer to ron	J .

Exhib.7 A V-47/2011

ATTACHMENT FOR APPLICATION FOR VARIANCE-COBB COUNTY BE-ATTITUDES Enterprises, LLC Sign Placement

This property is a childcare learning center. We are requesting a variance for our monumental sign to be 4.1-50 feet from the center line of Veterans Memorial Highway instead of the 62 feet required per Cobb County. Due to the topography and curve on Veterans Memorial Highway, the sign will be very hard to see at a 62 feet setback. In addition, due to landscaping that was required and approved by the County, the view of the sign will be obstructed by the 62 feet requirement. We would have to have a significant size sign in order for the sign to be seen. This would be uncharacteristically large for a childcare center.

Further, due to time constraints from my bank and the SBA, I have a very short timeframe to have the sign developed and installed or the funding to will be lost.